



Wildlife Gardening Forum

List of scientific papers and published articles on ecology and biodiversity in gardens

Compiled by Marc Carlton and Steve Head

This list is not exhaustive, and of course will need constant updating. We hope people will still find it useful, especially with the doi.org links taking you direct to those publications accessible from the web. Please let us know of other publications that you consider should be on this list

Ansell, R., Baker P. and Harris S. 2001. The value of gardens for wildlife — lessons from mammals and herpetofauna. British Wildlife 13: 77–84.

Baker, G., 1997. A Framework for the Future: Green Networks with Multiple Uses In and Around Towns and Cities. English Nature Research Report 256. ISSN 0967-876X.
<http://publications.naturalengland.org.uk/publication/77041>

Baker, H., Stroud, D.A., Aebsicher, N.J., Cranswick, P.A., Gregory, R.D., McSorley, C.A., Noble, D.G., Rehfisch, M.M., 2006. Population estimates of birds in Great Britain and the United Kingdom. British Birds 99, 25–44. <https://britishbirds.co.uk/wp-content/uploads/2014/07/APEP3.pdf>

Baker, P.J. et al 2008. Cats about town: is predation by free-ranging pet cats *Felis catus* likely to affect urban bird populations? Ibis 150. <https://doi.org/10.1111/j.1474-919X.2008.00836.x>

Barnes, H.F., 1949. The slugs in our gardens. New Biologist 6, 29–49.

Bates, A.J., et al. 2011. Changing Bee and Hoverfly Pollinator Assemblages along an Urban-Rural Gradient. PLoS ONE 6(8): e23459. <https://doi.org/10.1371/journal.pone.0023459>

Beebee, T.J.C., 2001. British wildlife and human numbers: the ultimate conservation issue? British Wildlife 13, 1–8.

Bezemer, M. T., Harvey, J. A., Cronin, J. T. (2014). Response of Native Insect Communities to Invasive Plants. Annual Review of Entomology, Vol. 59: 119-141
<https://doi.org/10.1146/annurev-ento-011613-162104>

Biggs, J., et al., 1994. New approaches to the management of ponds. British Wildlife 5, 273–287.

Blackmore, L. M., and Goulson, D. (2014). Evaluating the effectiveness of wildflower seed mixes for boosting floral diversity and bumblebee and hoverfly abundance in urban areas. Insect Conservation and Diversity, Vol 7 Issue 5. <https://doi.org/10.1111/icad.12071>

Bland, R.L., Tully, J., Greenwood, J.J.D., 2004. Birds breeding in British gardens: an underestimated population? Bird Study 51, 96–106. <http://dx.doi.org/10.1080/00063650409461340>

Bodsworth, E., Shepherd, P., and Plant, C. (2005). Exotic plant species on brownfield land: their value to invertebrates of nature conservation importance English Nature Research Report 650. ISSN 0967-876X. <http://publications.naturalengland.org.uk/publication/102007>

Bolund, P., Hunhammar, S., 1999. Ecosystem services in urban areas. Ecological Economics 29, 293–301. Doi: [http://dx.doi.org/10.1016/S0921-8009\(99\)00013-0](http://dx.doi.org/10.1016/S0921-8009(99)00013-0)

Bonnington, C., Kevin J. Gaston, K.J. and Evans, K.L., 2013. Fearing the feline: domestic cats reduce avian fecundity through trait-mediated indirect effects that increase nest predation by other species. Journal of Applied Ecology 50, 15–24. <http://dx.doi.org/10.1111/1365-2664.12025>

Boothby, J., Hull, A.P., 1997. A census of ponds in Cheshire, North West England. Aquatic Conservation: Marine and Freshwater Ecosystems. Vol. 7, Issue 1. 75–79.
[http://dx.doi.org/10.1002/\(SICI\)1099-0755\(199703\)7:1<75::AID-AQC215>3.0.CO;2-7](http://dx.doi.org/10.1002/(SICI)1099-0755(199703)7:1<75::AID-AQC215>3.0.CO;2-7)

Border, J.A., Newson, S.E., White, D.C.J. & Gillings, S. (2017), Predicting the likely impact of urbanisation on bat populations using citizen science data, a case study for Norfolk, UK. Landscape and Urban Planning. <https://doi.org/10.1016/j.landurbplan.2017.02.005>

Bowen, J. L., Kearns, P. J., et al. (2017). Lineage overwhelms environmental conditions in determining rhizosphere bacterial community structure in a cosmopolitan invasive plant. Nature Communications, 8 (433) <https://doi.org/10.1038/s41467-017-00626-0>

Brenneisen, S. (2006). Space for Urban Wildlife: Designing Green Roofs as Habitats in Switzerland. <https://www.researchgate.net/publication/284667765>

Bretzel, F., et al. (2016) Wildflowers: From conserving biodiversity to urban greening—A review. Urban Forestry & Urban Greening. Volume 20. <https://doi.org/10.1016/j.ufug.2016.10.008>

Brittingham, M.C., Temple, S.A., 1992. Does winter bird feeding promote dependency? Journal of Field Ornithology 63, 190–194. <https://sora.unm.edu/node/51725>

Buczacki, S., 2007. Garden Natural History. Harper Collins Publishers, London.

Cannon, A.R., Chamberlain, D.E., Toms, M.P., Hatchwell, B.J., Gaston, K.J., 2005. Trends in the use of private gardens by wild birds in Great Britain 1995–2002. Journal of Applied Ecology 42, 659–671. <http://dx.doi.org/10.1111/j.1365-2664.2005.01050.x>

Chamberlain E., Cannon A.R., Toms M.P., Leech D.I., Hatchwell B.J. and Gaston K.J. 2008 Avian productivity in urban landscapes: a review and meta-analysis. Ibis 151, 1–18.
<http://dx.doi.org/10.1111/j.1474-919X.2008.00899.x>

Corbet, S.A. et al 2001. Native or Exotic? Double or Single? Evaluating Plants for Pollinator-friendly Gardens. Annals of Botany. Vol. 87, Issue 2: 219-232. <http://dx.doi.org/10.1006/anbo.2000.1322>

Cowie, R.J., Hinsley, S.A., 1988. The provision of food and the use of bird feeders in suburban gardens. Bird Study Vol. 35, Issue 3. 163–168. <http://dx.doi.org/10.1080/00063658809476985>

Cox, D. T. C. et al. (2016) Movement of feeder-using songbirds: the influence of urban features. Sci. Rep. 6, 37669; <https://doi.org/10.1038/srep37669>

Cox, D. T. C., et al. (2016). Movement of feeder-using songbirds: the influence of urban features. Scientific Reports 6, <https://doi.org/10.1038/srep37669>

Daniels, G.D., Kirkpatrick, J.B., 2006. Does variation in garden characteristics influence the conservation of birds in suburbia? Biological Conservation Vol. 133, Issue 3. 326–335.
<https://doi.org/10.1016/j.biocon.2006.06.011>

Davies, Z.G. et al 2009. A national scale inventory of resource provision for biodiversity within domestic gardens. Biological Conservation Vol. 142, Issue 4: 761–771.

<https://doi.org/10.1016/j.biocon.2008.12.016>

Davis, B.N.K., 1978. Urbanisation and the diversity of insects. In: Mound, L.A., Waloff, N. (Eds.), Diversity of Insect Faunas. Blackwell Scientific, Oxford, pp. 126–138.

Dennis, E. B. et al. (2017). Urban indicators for UK butterflies. Ecological Indicators, Vol. 76, <https://doi.org/10.1016/j.ecolind.2017.01.009>

DETR, 2000. Our Towns and Cities: The Future – Full Report. Department of Transport and the Regions, London. ISBN: 9780101491129

<http://webarchive.nationalarchives.gov.uk/20100807021955/http://www.communities.gov.uk/publications/citiesandregions/ourtowns>

Dickman, C.R., 1987. Habitat fragmentation and vertebrate species richness in an urban environment. Journal of Applied Ecology 24, 337–351. <http://www.jstor.org/stable/2403879>

Ebeling, S. K., Hensen, I., Auge, H. (2007). The invasive shrub *Buddleja davidii* performs better in its introduced range. Diversity and Distributions, Vol. 14, Issue 2.

<https://doi.org/10.1111/j.1472-4642.2007.00422.x>

Fernandez-Juricic, E. & Jokimaki, J. (2001). A habitat island approach to conserving birds in urban landscapes: case studies from southern and northern Europe. Biodiversity Conservation, Vol. 10 Issue 12. <https://doi.org/10.1023/A:1013133308987>

Fernandez-Juricic, E., 2000. Avifaunal use of wooded streets in an urban landscape. Conservation Biology Vol. 14, Issue 2, 513–531. <https://doi.org/10.1046/j.1523-1739.2000.98600.x>

Fernandez-Juricic, E., Jokimaki, J., 2001. A habitat island approach to conserving birds in urban landscapes: case studies from southern and northern Europe. Biodiversity and Conservation 10, 2023–2043. <https://doi.org/10.1023/A:1013133308987>

Finch, S. and Collier, R. H. (2012), The influence of host and non-host companion plants on the behaviour of pest insects in field crops. *Entomologia Experimentalis et Applicata*, 142: 87–96.
<https://doi.org/10.1111/j.1570-7458.2011.01191.x>

Fischer, L. K., von der Lippe, M., Kowarik, I., Schwabe-Kratochwil, M. (2013). Urban grassland restoration: which plant traits make desired species successful colonizers? *Applied Vegetation Science* Vol 16. <https://doi.org/10.1111/j.1654-109x.2012.01216.x>

Forestry Commission, 2003. National Inventory of Woodland and Trees – Great Britain. Forestry Commission, Edinburgh. <https://www.forestry.gov.uk/fr/infid-86xc6c>

Frankum, M, 2002. Garden bees update 1998-2001: *Anthophora plumipes* and other solitary bees that frequent a suburban garden in Knighton, Leicester. Occasional Publications Series Number 20. Leicestershire Entomological Society.

<http://www.naturespot.org.uk/sites/default/files/downloads/LESOPS%2020.pdf>

Fuller, R.A., Warren, P.H., Armsworth, P.R., Barbosa, O., Gaston, K.J., 2008. Garden bird feeding predicts the structure of urban avian assemblages. *Diversity and Distributions* 14, 131–137.
<https://doi.org/10.1111/j.1472-4642.2007.00439.x>

Galbraith, J. A., Beggs, J. R., Jones, D. N. & Stanley, M. C. (2015). Supplementary feeding restructures urban bird communities. *P. Natl. Acad. Sci. Biol.* 112, no.20.

<https://doi.org/10.1073/pnas.1501489112>

Garbuzov, M., and Ratnieks, F.L.W. (2013). Quantifying variation among garden plants in attractiveness to bees and other flower-visiting insects. *Functional Ecology*, Vol. 28, Issue 2.
<https://doi.org/10.1111/1365-2435.12178>

Gardiner, M. M., Burkman, C. E., Prajzner, S. P. (2013) The value of urban vacant land to support arthropod biodiversity and ecosystem services. *Environmental Entomology* 42 : 1123–1136.
<https://doi.org/10.1603/EN12275>

Gaston, K.J., Fuller, R.A., Loram, A., MacDonald, C., Power, S., Dempsey, N., 2007. Urban domestic gardens (XI): variation in urban wildlife gardening in the UK. *Biodiversity and Conservation*, Vol. 16 Issue 11. 3227–3238. <https://doi.org/10.1007/s10531-007-9174-6>

Gaston, K.J., Smith, R.M., Thompson, K. & Warren, P.H. 2004. Gardens and wildlife – the BUGS project. *British Wildlife* 16, 1-9.

Gaston, K.J., Smith, R.M., Thompson, K., Warren, P.H., 2005a. Urban domestic gardens (II): experimental tests of methods for increasing biodiversity. *Biodiversity and Conservation* 14, 395–413. Doi: 10.1007/s10531-004-6066-x <http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Gaston, K.J., Warren, P.H., Thompson, K., Smith, R.M., 2005b. Urban domestic gardens (IV): the extent of the resource and its associated features. *Biodiversity and Conservation* 14, 3327-3349. DOI 10.1007/s10531-004-9513-9 <http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

- Goddard, M. A., Dougill, A. J. & T. G. Benton. (2010). Scaling up from gardens: biodiversity conservation in urban environments. *Trends in Ecology and Evolution*. 25. <http://dx.doi.org/10.1016/j.tree.2009.07.016>
- Good, R., 2000. The value of gardening for wildlife. What contribution does it make to conservation? *British Wildlife* 12, 77–84.
- Goode, D., 2006. Green Infrastructure. Report to the Royal Commission on Environmental Pollution, London. <http://www.greeninfrastructure.co.uk/climatechange/doc.php?docID=168>
- Goulson D., et al 2010. Effects of land use at a landscape scale on bumblebee nest density and survival. *Journal of Applied Ecology* 47: 1207–1215
<https://doi.org/10.1111/j.1365-2664.2010.01872.x>
- Gregory, R.D., Baillie, S.R., 1998. Large-scale habitat use of some declining British birds. *Journal of Applied Ecology* 35, 785–799. <https://doi.org/10.1046/j.1365-2664.1998.355349.x>
- Gröning, G., & Wolschke-Bulmahn, J. (2003) The Native Plant Enthusiasm: Ecological panacea or xenophobia? *Landscape Research* Vol. 28 , Iss. 1. <https://doi.org/10.1080/01426390306536>
Also reprinted in *Arnoldia* 62 (4), (2003).
- Hallmann, C. A., Foppen, R. P. B., van Turnhout, C. A. M, de Kroon, H., Jongjans, E. (2014), Declines in insectivorous birds are associated with high neonicotinoid concentrations. *Nature* 511, 341–343. <https://doi.org/10.1038/nature13531>
- Hammond, P.M., 1974. Changes in the British Coleopterous fauna. In: Hawksworth, D.L. (Ed.), *The Changing Flora and Fauna of Britain*. Academic Press, London, pp. 323–369.
- Hanmer, H. J., Thomas, R. L., Fellowes, M. D. E. (2016) Provision of supplementary food for wild birds may increase the risk of local nest predation. *Ibis* 159. <https://doi.org/10.1111/ibi.12432>
- Head, S. 2011 What is the role of British gardens in biodiversity conservation? *Ecos* 32: 45-52
- Hedenström, A., et al. (2016) Annual 10-Month Aerial Life Phase in the Common Swift *Apus apus*. *Current Biology* , Volume 26 , Issue 22. <https://doi.org/10.1016/j.cub.2016.09.014>
- Helden, A.J., Stamp, G.C. & Leather, S.R. (2012). Urban biodiversity: comparison of insect assemblages on native and non-native trees. *Urban Ecosystems* 15 : 611–624
<https://doi.org/10.1007/s11252-012-0231-x>
- Hertzog, L. R., Meyer, S. T., Weisser, W. W., Ebeling, A. (2016) Experimental Manipulation of Grassland Plant Diversity Induces Complex Shifts in Aboveground Arthropod Diversity. *PLoS ONE* 11(2): e0148768. <https://doi.org/10.1371/journal.pone.0148768>
- Hill, M.J. and Wood, P.J., 2014. The macroinvertebrate biodiversity and conservation value of garden and field ponds along a rural-urban gradient. *Fundamental and Applied Limnology*, 185 (1), pp. 107 - 119. <https://doi.org/10.1127/fal/2014/0612>
- Jokimaki, J., 1999. Occurrence of breeding bird species in urban parks: effects of park structure and broad scale variables. *Urban Ecosystems* 3, 21–34. <https://doi.org/10.1023/A:1009505418327>

Jokimaki, J., Suhonen, J., 1993. Effects of urbanization on the breeding bird species richness in Finland: a biogeographical comparison. *Ornis Fennica* Vol. 70, Issue 2. 71–77.
<https://lintulehti.birdlife.fi/#/pdfhakucrit>

Jones, D.N., Reynolds, S.J., 2008. Feeding birds in our towns and cities: a global research opportunity. *Journal of Avian Biology*. Vol. 39, Issue 3. <https://doi.org/10.1111/j.0908-8857.2008.04271.x>

Kadas, G. 2006. Rare Invertebrates Colonizing Green Roofs in London. *Urban Habitats* 1. 1541-7115.
http://www.urbanhabitats.org/v04n01/invertebrates_full.html

Knight, M.E., Martin, A.P., Bishop, S., Osborne, J.L., Hale, R.J., Sanderson, R.A., Goulson, D., 2005. An interspecific comparison of foraging range and nest density of four bumblebee (*Bombus*) species. *Molecular Ecology* 14, 1811–1820. <https://doi.org/10.1111/j.1365-294X.2005.02540.x>

Kummer J.A. et al. (2016) Use of citizen science to identify factors affecting bird-window collision risk at houses. *The Condor: Ornithological Applications* 118:3. <https://doi.org/10.1650/CONDOR-16-26.1>

Lawson B, Lachish S, Colvile KM, Durrant C, Peck KM, et al. 2012. Emergence of a Novel Avian Pox Disease in British Tit Species. *PLoS ONE* 7(11): e40176.
<https://doi.org/10.1371/journal.pone.0040176>

Lawson B, Petrovan SO, Cunningham AA. (2015) Citizen science and wildlife disease surveillance. *EcoHealth* 12,693–702. <https://dx.doi.org/10.1007/s10393-015-1054-z>

Lepczyk, C.A., Mertug, A.G., Liu, J., 2004. Assessing landowner activities related to birds across rural-to-urban landscapes. *Environmental Management* 33, 110–125.
<https://doi.org/10.1007/s00267-003-0036-z>

Linton, S., Goulder, R., 2000. Botanical conservation value related to origin and management of ponds. *Aquatic Conservation: Marine and Freshwater Ecosystems*, Vol. 10, Issue 2. 77–91.
[https://doi.org/10.1002/\(SICI\)1099-0755\(200003/04\)10:2<77::AID-AQC391>3.0.CO;2-Y](https://doi.org/10.1002/(SICI)1099-0755(200003/04)10:2<77::AID-AQC391>3.0.CO;2-Y)

Lintott, P. R., Barlow, K., Bunnefeld, N., Briggs, P., Gajas Roig, C. and Park, K. J. (2016), Differential responses of cryptic bat species to the urban landscape. *Ecol Evol*, 6: 2044–2052.
<https://doi.org/10.1002/ece3.1996>

Loram, A., Thompson, K., Warren, P.H. & Gaston, K.J. (2008) Urban domestic gardens (XII): the richness and composition of the flora in five cities. *Journal of Vegetation Science*, Vol. 19, Issue 3: 321–330. <https://doi.org/10.3170/2008-8-18373>

Loram, A., Tratalos, J., Warren, P.H., Gaston, K.J., 2007. Urban domestic gardens (X): the extent and structure of the resource in five major cities. *Landscape Ecology* 22, 601–615.
<https://doi.org/10.1007/s10980-006-9051-9>

Loram, A., Warren, P.H. & Gaston, K.J. (2008) Urban domestic gardens (XIV): the characteristics of gardens in five cities. *Environmental Management*, Vol. 42 : 361-76.
<https://doi.org/10.1007/s00267-008-9097-3>

Loram, A., Warren, P. H., Thompson, K. & Gaston, K. J. (2011). Urban domestic gardens: the effects of human interventions on garden composition. *Environmental Management* 48.

<https://doi.org/10.1007/s00267-011-9723-3>

Lorimer, J. (2008), Living roofs and brownfield wildlife: towards a fluid biogeography of UK nature conservation. *Environment and planning A*, Vol. 40, Issue 9: 2042. <https://doi.org/10.1068/a39261>

Mason, C.F., 2000. Thrushes now largely restricted to the built environment in eastern England. *Diversity and Distributions*, Vol. 6, Issue 4: 189–194.

<https://doi.org/10.1046/j.1472-4642.2000.00084.x>

McKinney, M.L., 2002. Urbanization, Biodiversity, and Conservation: The impacts of urbanization on native species are poorly studied, but educating a highly urbanized human population about these impacts can greatly improve species conservation in all ecosystems . *Bioscience*, Vol. 52, Issue 10.

[https://doi.org/10.1641/0006-3568\(2002\)052\[0883:UBAC\]2.0.CO;2](https://doi.org/10.1641/0006-3568(2002)052[0883:UBAC]2.0.CO;2)

Meyer, S. T., A. Ebeling, N., et al. (2016). Effects of biodiversity strengthen over time as ecosystem functioning declines at low, and increases at high, biodiversity. *Ecosphere* 7(12).

<https://doi.org/10.1002/ecs2.1619>

Meyer, W.B., Turner, B.L., 1992. Human population growth and global land-use cover change. *Annual Review of Ecology and Systematics* 23, 6–39.

<https://doi.org/10.1146/annurev.es.23.110192.000351>

Miller, J. R. & Hobbs, R. J. (2002). Conservation where people live and work. *Conservation Biology* vol. 16, issue 2. <https://doi.org/10.1046/j.1523-1739.2002.00420.x>

Miotk, P., 1996. The naturalized garden – a refuge for animals? – first results. *Zoologischer Anzeiger* 235, 101–116.

Morley, B.D.W., 1944. A study of the ant fauna of a garden, 1934–42. *Journal of Animal Ecology* 13, 123–127. <https://doi.org/10.2307/1445>

Newson, S.E., Moran, N.J., Musgrove, A.J., Pearce-Higgins, J.W., Gillings, S., Atkinson, P.W., Miller, R., Grantham, M.J. & Baillie, S.R. (2016) Long-term changes in the migration phenology of UK breeding birds detected by large-scale citizen science recording schemes. *Ibis*, Vol. 158.

<https://doi.org/10.1111/ibi.12367>

Newton, I., 1998. Population Limitation in Birds. Academic Press, London.

O'Sullivan, O., Holt, A. R., Warren, P. H., Evans, K. L. (2017). Optimising UK urban road verge contributions to biodiversity and ecosystem services with cost-effective management. *Journal of Environmental Management*, 191. <https://doi.org/10.1016/j.jenvman.2016.12.062>

ODPM, 2001. Habitat UK National Report. Office of the Deputy Prime Minister, London.

<http://webarchive.nationalarchives.gov.uk/20060308015853/http://www.odpm.gov.uk/staging/index.asp?id=1143406>

ODPM, 2006. Land Use Change in England: Residential Development to 2004 – January update. Office of the Deputy Prime Minister, London.

<http://webarchive.nationalarchives.gov.uk/20060308133553/http://www.odpm.gov.uk/staging/index.asp?id=1163304>

Oertli, B., Joye, D.A., Castella, E., Juge, R., Cambin, D., Lachavanne, J.-B., 2002. Does size matter? The relationship between pond area and biodiversity. *Biological Conservation* Vol. 104, Issue 1. 59–70.

[https://doi.org/10.1016/S0006-3207\(01\)00154-9](https://doi.org/10.1016/S0006-3207(01)00154-9)

Osborne, J.L., Martin, A.P., Shortall, C.R., Todd, A.D., Goulson, D., Knight, M.E., Hale, R.J., Sanderson, R.A., 2008. Quantifying and comparing bumblebee nest densities in gardens and countryside habitats. *Journal of Applied Ecology* 45, 784–792. <https://doi.org/10.1111/j.1365-2664.2007.01359.x>

Otoshi, M. D., Bichier, P., Philpott, S. M. (2015). Local and Landscape Correlates of Spider Activity Density and Species Richness in Urban Gardens. *Environmental Entomology*, Vol. 44, Issue 4: 1043–1051. <https://doi.org/10.1093/ee/nvv098>

Owen J. 2010 Wildlife of a garden: A thirty year study. Royal Horticultural Society Publications.

Owen, J., 1991. *The Ecology of a Garden: The First Fifteen Years*. Cambridge University Press, Cambridge.

Paker, Y., Tom-Tov, Y., Alon-Mozes, T., Barnea, A. (2014) The effect of plant richness and urban garden structure on bird species richness, diversity and community structure. *Landscape and Urban Planning*, Vol. 122. <https://doi.org/10.1016/j.landurbplan.2013.10.005>

Peach, W.J., Denny, M., Cotton, P.A., Hill, I.F., Gruar, D., Barritt, D., Impet, A., Mallord, J., 2004. Habitat selection by song thrushes in stable and declining farmland populations. *Journal of Applied Ecology* 41, 275–293. <https://doi.org/10.1111/j.0021-8901.2004.00892.x>

Peck, H. L., Pringle, H. E., Marshall, H. H., Owens, I. P. F., Lord, A. M. (2014), Experimental evidence of impacts of an invasive parakeet on foraging behavior of native birds. *Behavioral Ecology* (2014), 25(3), 582–590. <https://doi.org/10.1093/beheco/aru025>

Petrovan, S. O., Schmidt, B. R. (2016) Volunteer Conservation Action Data Reveals Large-Scale and Long-Term Negative Population Trends of a Widespread Amphibian, the Common Toad (*Bufo bufo*). *PLoS ONE*. <https://doi.org/10.1371/journal.pone.0161943>

Plummer, K.E., Siriwardena, G.M., Conway, G.J., Risely, K. & Toms, M.P. (2015), Is supplementary feeding in gardens a driver of evolutionary change in a migratory bird species? *Global Change Biology*. <https://doi.org/10.1111/gcb.13070>

Price, S. J., Garner, T. W. J., et al. (2016) Reconstructing the emergence of a lethal infectious disease of wildlife supports a key role for spread through translocations by humans. *Proc R Soc B* 2016, 283. <https://doi.org/10.1098/rspb.2016.0952>

Radford, K. G., James, P. (2013). Changes in the value of ecosystem services along a rural–urban gradient: A case study of Greater Manchester, UK. *Landscape and Urban Planning*, Vol. 109, Issue 1: 117–127. <https://doi.org/10.1016/j.landurbplan.2012.10.007>

Rapoport, E.H., 1993. The process of plant colonization in small settlements and large cities. In: McDonnell, M.J., Pickett, S.T.A. (Eds.), Humans as Components of Ecosystems: The Ecology of Subtle Human Effects and Populated Areas. Springer-Verlag, New York, pp. 190–207.

Robb, G.N., McDonald, R.A., Chamberlain, D.E., Bearhop, S., 2008. Food for thought: supplementary feeding as a driver of ecological change in avian populations. *Frontiers in Ecology and the Environment* 6, 476–484. <https://doi.org/10.1890/060152>

Ross W.F., et al 2012. The domestic garden – Its contribution to urban green infrastructure. *Urban Forestry & Urban Greening*, Vol. 11, Issue 2: 129–137 <https://doi.org/10.1016/j.ufug.2012.01.002>

Rudd, H., Vala, J., Schaefer, V., 2002. Importance of backyard habitat in a comprehensive biodiversity conservation strategy: a connectivity analysis of urban green spaces. *Restoration Ecology*, Vol. 10, Issue 2: 368–375. <https://doi.org/10.1046/j.1526-100X.2002.02041.x>

Salisbury, A., Armitage, J., et al. (2015). Enhancing gardens as habitats for flower-visiting aerial insects (pollinators): should we plant native or exotic species? *Journal of Applied Ecology*, 52. <https://doi.org/10.1111/1365-2664.12499>

Salisbury, A., Al-Beidh, S., et al. (2017). Enhancing gardens as habitats for plant-associated invertebrates: should we plant native or exotic species? *Biodiversity and Conservation* 26 (11). <https://doi.org/10.1007/s10531-017-1377-x>

Salmón, P., Nilsson, J. F., Nord, A., Bensch, S., Isaksson, C. (2016), Urban environment shortens telomere length in nestling great tits, *Parus major*. *Biology Letters*, 2016; 12 (6): 20160155 <https://doi.org/10.1098/rsbl.2016.0155>

Samnegård, U., Persson, A.S. and Henrik G. Smith, H.G. 2011. Gardens benefit bees and enhance pollination in intensively managed farmland. *Biological Conservation*, Vol. 144, Issue 11:2602– 2606 <https://doi.org/10.1016/j.biocon.2011.07.008>

Savard, J.-P. L., Clergeau, P., Mennechez, G., 2000. Biodiversity concepts and urban ecosystems. *Landscape and Urban Planning* 48, 131–142. [https://doi.org/10.1016/S0169-2046\(00\)00037-2](https://doi.org/10.1016/S0169-2046(00)00037-2)

Saville, B., 1997. The Secret Garden: Report of the Lothian Secret Garden Survey. Lothian Wildlife Information Centre, Edinburgh.

Sims, V., Evans, K.L., Newson, S.E., Tratalos, J., Gaston, K.J., 2008. Avian assemblage structure and domestic cat densities in urban environments. *Diversity and Distributions*, Vol. 14, 387–399. <https://doi.org/10.1111/j.1472-4642.2007.00444.x>

Smith, C., Dawson, D., Archer, J., Davies, M., Frith, M., Hughes, E. and Massini, P., 2011. London: Garden City? From green to grey; observed changes in garden vegetation structure in London, 1998–2008, London Wildlife Trust, Greenspace Information for Greater London, and Greater London Authority. <http://downloads.gigl.org.uk/website/Garden%20Research%20Full%20report.pdf>

Smith, L. S., Broyles, M. E. J., Larzleer, H. K., & Fellowes, M. D. E. (2015), Adding ecological value to the urban landscape. Insect abundance and diversity in grass-free lawns. *Biodiversity & Conservation* 24:47 <https://doi.org/10.1007/s10531-014-0788-1>

Smith, R.M., Gaston, K.J., Warren, P.H. & Thompson, K. 2005. Urban domestic gardens (V): relationships between land cover composition, housing and landscape. *Landscape Ecology*, vol. 20, Issue 2: 235-253. Doi: 10.1007/s10980-004-3160-0.

<http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Smith, R.M., Gaston, K.J., Warren, P.H., Thompson, K., 2006. Urban domestic gardens (VIII): environmental correlates of invertebrate species abundance. *Biodiversity and Conservation* Vol.15, Issue 8: 2515–2545. Doi: 10.1007/s10531-005-2784-y.

<http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Smith, R.M., Thompson, K., Hodgson, J.G., Warren, P.H., Gaston, K.J., 2006. Urban domestic gardens (IX): composition and richness of the vascular plant flora, and implications for native biodiversity. *Biological Conservation*, vol. 129, Issue 3: 312–322. [Doi: 10.1016/j.biocon.2005.10.045](#)

<http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Smith, R.M., Warren, P.H., Thompson, K. & Gaston, K.J. 2006. Urban domestic gardens (VI): environmental correlates of invertebrate species richness. *Biodiversity and Conservation*, Vol. 15, Issue 8: 2415-2438. Doi: 10.1007/s10531-004-5014-0

<http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Speak, A. F., Mizgajski, A., Borysiak, J. (2015). Allotment gardens and parks: Provision of ecosystem services with an emphasis on biodiversity. *Urban Forestry & Urban Greening*. Volume 14, Issue 4. <https://doi.org/10.1016/j.ufug.2015.07.007>

Stelzer, R.J., Chittka, L., Carlton, M., Ings, T. C., (2010) Winter Active Bumblebees (*Bombus terrestris*) Achieve High Foraging Rates in Urban Britain. *PLoS ONE* 5(3): e9559.

<https://doi.org/10.1371/journal.pone.0009559>

Stevenson C.R. and Hill M.O. 2008 Urban myths exploded: results of a bryological survey of King's Lynn (Norfolk, UK). *Journal of Bryology*, Vol.30, issue 1: 12–22

<http://dx.doi.org/10.1179/174328208X282111>

Swan, M.J.S., and Oldham, R.S. (1993). National Amphibian Survey Final Report. English Nature Research Report 038. <http://publications.naturalengland.org.uk/publication/152355>

Thomas, J.A., Simcox, D.J., Hovestadt, T. (2011) Evidence based conservation of butterflies. *Journal of Insect Conservation*, 15 (1-2). 241-258. <https://doi.org/10.1007/s10841-010-9341-z>

Thomas, R. L., et al. (2014). Ranging characteristics of the domestic cat (*Felis catus*) in an urban environment. *Urban ecosystems*, Vol 17, Issue 4. <https://doi.org/10.1007/s11252-014-0360-5>

Thomas, S. 2010. Horizon-scanning for invasive non-native plants in Great Britain. *Natural England Commissioned Reports* 053. <http://publications.naturalengland.org.uk/publication/40015>

Thompson, K., Austin, K.C., Smith, R.H., Warren, P.H., Angold, P.G., Gaston, K.J., 2003. Urban domestic gardens (I): putting small-scale plant diversity in context. *Journal of Vegetation Science*, Vol. 14, Issue 1:71–78. Doi: 10.1111/j.1654-1103.2003.tb02129.x

<http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Thompson, K., Colsell, S., Carpenter, J., Smith, R.M., Warren, P.H. & Gaston, K.J. 2005. Urban domestic gardens (VII): a preliminary survey of soil seed banks. *Seed Science Research*, Vol. 15, Issue 2: 133–141. Doi: 10.1079/SSR2005201 <http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Thompson, K., Hodgson, J.G., Smith, R.M., Warren, P.H., Gaston, K.J., 2004. Urban domestic gardens (III): composition and diversity of lawn floras. *Journal of Vegetation Science*, Vol. 15, Issue 2: 373–378. Doi: 10.1111/j.1654-1103.2004.tb02274.x
<http://www.bugs.group.shef.ac.uk/BUGS1/updates.html>

Toms, M., 2003. The BTO/CJ Garden Birdwatch Book. British Trust for Ornithology, Thetford.

Tyrvainen, L., 1997. The amenity value of the urban forest: an application of the hedonic pricing method. *Landscape and Urban Planning* 37, 211–222.
[https://doi.org/10.1016/S0169-2046\(97\)80005-9](https://doi.org/10.1016/S0169-2046(97)80005-9)

Van Hezik, ET AL. (2014). Native and exotic woody vegetation communities in domestic gardens in relation to social and environmental factors. *Ecology and Society* 19 (4).

<https://doi.org/10.5751/ES-06978-190417>

Vergnes, A., Kerbiriou, C. & Clergeau, P. (2013). Ecological corridors also operate in an urban matrix: a test case with garden shrews. *Urban Ecosystems*, Vol. 16.

<https://doi.org/10.1007/s11252-013-0289-022>

Vergnes, A., Viol, I. L. & Clergeau, P. (2012). Green corridors in urban landscapes affect the arthropod communities of domestic gardens. *Biological Conservation* Vol. 145, Issue 1.

<https://doi.org/10.1016/j.biocon.2011.11.002>

Vickery, M.L., 1995. Gardens: The neglected habitat. In: *Ecology and Conservation of Butterflies*. Chapman and Hall, London, pp. 123–134.

Vogt, J., Gillner, S., et al. (2017) Citree: A database supporting tree selection for urban areas in temperate climate. *Landscape and Urban Planning* 157.

<https://doi.org/10.1016/j.landurbplan.2016.06.005>

Warren, P.S., Lerman, S.B., Charney, N.D., 2008. Plants of a feather: spatial autocorrelation of gardening practices in suburban neighbourhoods. *Biological Conservation*, Vol. 141, Issue 1: 3–4.

<https://doi.org/10.1016/j.biocon.2007.10.005>

Whitehouse M.J., Harrison N.M., Mackenzie J., Hinsley, S.A. (2013). Preferred Habitat of Breeding Birds May Be Compromised by Climate Change: Unexpected Effects of an Exceptionally Cold, Wet Spring. *PLoS ONE* 8(9): e75536. <https://doi.org/10.1371/journal.pone.0075536>

Williams, P., Biggs, J., Barr, C.J., Cummins, C.P., Gillespie, M.K., Rich, T.C.G., Baker, A., Baker, J., Beesley, J., Corfield, A., Dobson, D., Culling, A.S., Fox, G., Howard, D.C., Luursema, K., Rich, M., Samson, D., Scott, W.A., White, R., Whitfield, M., 1998. Lowland Pond Survey 1996. Department of Environment, Transport and the Regions, London.

<https://www.thenbs.com/PublicationIndex/documents/details?Pub=DETR&DocID=259027>

Williams, P., Biggs, J., Whitfield, M., Thorne, A., Bryant, S., Fox, G., Nicolet, P., 2000. The Pond Book: A Guide to the Management and Creation of Ponds. The Pond Conservation Trust, Oxford.

Winfrey, R., Bartomeus, I. and Cariveau, D.P. 2011. Native Pollinators in Anthropogenic Habitats. Annual Review of Ecology, Evolution, and Systematics. 2011. 42:1–22
<https://doi.org/10.1146/annurev-ecolsys-102710-145042>

Wood, P.J., Greenwood, M.T. and Agnew, M.D., 2013. Pond biodiversity and habitat loss in the UK. Area, 35 (2), pp.206-216. <http://dx.doi.org/10.1111/1475-4762.00249>

Wood, P.J., Greenwood, M.T., Agnew, M.D., 2003. Pond biodiversity and habitat loss in the UK. Area, Volume 35, Issue 2: 206–216. <http://dx.doi.org/10.1111/1475-4762.00249>

Yu, D., Liu, Y., Xun, B. & Shao, H. (2015). Measuring landscape connectivity in a urban area for biological conservation. Clean, Vol. 43, 605–613 <https://doi.org/10.1002/clen.201200448>